ELSEVIER

Journal of Alloys and Compounds 298 (2000) 325

Journal of ALLOYS AND COMPOUNDS

www.elsevier.com/locate/jallcom

Author Index of Volume 298

Abe, S., 51
Ahmed, F.U., 9
Ahn, D., 254
Akiba, E., 138, 279
Al-Omari, I.A., 295
Andreev, A.V., 73
Antic-Fidancev, E., 93
Asgar, M.A., 9
Aurelio, G., 30

Bala, H., 237
Balasubramaniam, R., 261
Bando, Y., 99
Belan, B.D., 26, 169
Bernadou, M.J.S., 299
Bobet, J.-L., 279
Bodak, O., 169, 195
Bodak, O.I., 26
Bourée, F., 160
Bourgeois, L., 99
Brommer, P.E., 18
Brück, E., 18, 77
Budnyk, S.L., 190
Burzo, E., 40
Buschow, K.H.J., 18, 77

Çelebi, S., 285
Chykhrij, S.I., 190
Clewley, J.D., 261
Convert, P., 220
Corbel, G., 93
Cuevas, F., 244

Darriet, B., 279
de Boer, F.R., 77
Dhar, S.K., 68
Dobromyslov, A.V., 181
Drulis, H., 237
Duong, N.P., 18

Eckert, J., 146
El Idrissi Raghni, M.A., 47
Even, C., 279
Eymery, J.P., 306

Fehrmann, B., 153
Fernández, J.F., 244
Fernandez-Baca, J.A., 9
Flanagan, T.B., 261

Galdecka, E., 26, 169, 195
Garcia, A., 299
Gebel, B., 226
Gebert, A., 146
Goto, T., 73
Grgur, B.N., 107
Guillermet, A.F., 30
Gumenyuk, T.M., 164

Hagmusa, I.H., 77
Haruta, M., 114
He, W., 135
Heathman, S., 177
Hien, T.D., 18
Hirota, Y., 310
Hirscher, M., 1

Ise, T., 310
Ismail, N., 146
Isnard, O., 220
Iwasieczko, W., 237

Janardhanam, K., 59
Jee, K.Y., 291
Jeitschko, W., 153
Jeon, Y., 291
Jumas, J.C., 47

Kianvash, A., 319
Kim, J.G., 291
Kim, W.H., 291
Klaasse, J.C.P., 18
Kopya, A.İ., 285
Krstajić, N.V., 107
Kuriyama, N., 114
Kuz'ma, .Yu.B., 164, 190
Kwon, I., 254

Le Bihan, T., 177
Leblanc, M., 93
Lee, J.-G., 291
Lee, R., 254
Legendre, B., 198
Leithe-Jasper, A., 99
Li, Y., 198
Lindbaum, A., 177
Lingmin, Z., 173
Lippens, P.E., 47
Loewenhaupt, M., 220
Lucaci, P., 40
Luo, Y., 135
Lupsa, I., 40
Lyskovetz, T.A., 203

Madaah Hosseini, H.R., 319
Manfrinetti, P., 68
Mar, A., 82
Mattern, N., 226
Mel'nyk, O.M., 203
Meyer, D.C., 42
Mills, A.M., 82
Moorthy, L.R., 59
Müller, K.-H., 220
Murata, T., 310
Mushnikov, N.V., 73

Nagata, Y., 51
Nakahori, S., 310
Nakamura, Y., 138, 279
Nakamura, Y., 279
Nogami, M., 310

Ochin, P., 198
Oguro, K., 138
Oleinek, Ph., 220
Olekseyuk, I.D., 203
Olivier-Fourcade, J., 47
Öztürk, A., 285

Palenzona, A., 68
Parasyuk, O.V., 203
Park, Y.J., 291
Paufler, P., 42
Pavlyuk, V.V., 237
Piskach, L.V., 203
Poeppelmeier, K.R., 119
Popović, M.M., 107
Pyo, H.Y., 291

Quadakkers, W.J., 274
Quivy, A., 198

Radhapathy, A., 59
Rakin, P., 107
Rao, T.S., 59
Reule, H., 1
Rim, H., 254
Rogl, P., 160, 177
Rożdżyńska-Kiełbik, B., 237

Sakai, T., 114
Samata, H., 51
Sánchez, C., 244
Schultz, L., 220
Sellmyer, D.J., 295
Seyyed Reihani, M., 319
Shanahan, K.L., 261
Shi, Y., 99
Singh, S., 68
Singheiser, L., 274
Song, M.Y., 254
Spim Jr., J.A., 299
Stel'makhovych, B.M., 164
Stępień-Damm, J., 26, 169, 195
Stern, C.L., 119
Ström-Olsen, J.O., 125
Sundaram, P.A., 274

Tai, L.T., 18
Takeshita, H.T., 114
Taluts, N.I., 181
Tanaka, H., 114
Tanaka, T., 99
Telolahy, P., 198

Uehara, I., 114, 138
Uhlemann, M., 146

Vander Griend, D.A., 119
Venturini, G., 213
Vernière, A., 213
Vojnović, M.V., 107

Wang, D., 261
Wang, X., 119
Wei, H., 173
Wetzig, K., 226

Yanmaz, E., 285
Yashiro, S., 51
Yinghong, Z., 173
Ylli, F., 306
Yoozbashi Zadeh, H., 319
Yunus, S.M., 9

Zaluska, A., 125
Zaluski, L., 125
Zhou, J., 295
Zhuang, Y., 135
Zinkevitch, M., 226
Ziqin, W., 173

Elsevier Science S.A.
PII: S0925-8388(99)00810-5

ELSEVIER

Journal of Alloys and Compounds 298 (2000) 327–331

Journal of ALLOYS AND COMPOUNDS

www.elsevier.com/locate/jallcom

Subject Index of Volume 298

AB_2-type
development of AB_2-type Zr–Ti–Mn–V–Ni–Fe hydride electrodes for Ni–MH secondary batteries 254
AC impedance
electrochemical studies on $LaNi_{4.15}Co_{0.43}Mn_{0.40}Fe_{0.02}$ metal hydride alloy 107
Al–Fe–Si alloys
enthalpy of formation of Al–Fe–Si alloys (τ_5, τ_{10}, τ_1, τ_9) 198
Alkali metal aluminium hydrides
sodium alanates for reversible hydrogen storage 125
Alloy
XPS studies of superconducting Mo–Ru–Rh–Pd alloy 291
Alloying effect
effects of substitution of uranium for yttrium on band metamagnetism of $Y(Co_{0.92}Al_{0.08})_2$ 73
Aluminium iron silicides
enthalpy of formation of Al–Fe–Si alloys (τ_5, τ_{10}, τ_1, τ_9) 198
Amorphisation
phase transformations of the Gd–Fe–Mo ternary compounds with $ThMn_{12}$-type structure under nitrogen atmosphere 226
Amorphization
in situ neutron diffraction study of the reaction of the compounds $NdFe_{10.75}V_{1.25}$ and $NdFe_{11}Ti$ with nitrogen 220
Anisotropic peak broadening
X-ray diffraction peak broadening and lattice strain in $LaNi_5$-based alloys 138
Antiferromagnets
magnetic properties of GdT_2Ge_2 compounds (T=3d, 4d) 18

B2 compounds
hydrogen-induced phase transitions of $GdZn_{1-x}Mg_x$ compounds 1
Ball milling
sodium alanates for reversible hydrogen storage 125
Binary alloy sintering method
production of $(Nd,MM)_2(Fe,Co,Ni)_{14}B$-type sintered magnets using a binary powder blending technique 319
Bonding
phenomenological bond length–bond number correlations for Ti, Zr and Hf: assessment and applications to metastable structures 30

Cation disorder
structure and cation distribution of new ternary vanadates $FeMg_2V_3O_{11}$ and $FeZn_2V_3O_{11}$ 119
Cd–Cu–Ge–Se alloys
the Cu_2Se–CdSe–$GeSe_2$ system 203
Coherency
coherency and lattice spacings of textured permalloy/copper multilayers as revealed by X-ray diffraction 42
Core level
XPS studies of superconducting Mo–Ru–Rh–Pd alloy 291
Critical current density
determination of the material parameters of a melt-textured YBCO superconductor by DC magnetization analysis 285
Critical state model
determination of the material parameters of a melt-textured YBCO superconductor by DC magnetization analysis 285
Crystal field analysis
low temperature synthesis of $Na_3Eu(CO_3)F_{2.5}(OH)_{0.5}$, luminescence and crystal field study of Eu^{3+} 93
Crystal field splitting
a specific-heat study of some RFe_4Al_8 compounds (R=Ce, Pr, Nd, Dy, Ho, Tm) 77
Crystallographic property
magnetism and transport properties of HfMSi (M=Pt, Pd) and $HfRh_{1-x}Pd_xSi$ 51
Crystal structure
the ternary Sm–Fe–Sn system: phase diagram, structural characterisation and magnetic properties of ternary compounds 26
structures of the ternary iron germanium pnictides $FeGe_{1-x}Pn_x$ (Pn=P, As, Sb) 82
$Sc_3B_{0.75}C_3$, a novel scandium boron carbide 99
ternary compounds in the Y–Ag–Al system and their crystal structures 164
the Pr–Fe–Sn ternary system: phase diagram and crystal structure of $PrFe_{0.4}Sn_2$ 169
Yb–Ni–P system 190
new AlB_2- and $GdSi_2$-type derivative compounds in the Y–Ga–Ge system 213
phase transformations of the Gd–Fe–Mo ternary compounds with $ThMn_{12}$-type structure under nitrogen atmosphere 226
hydrogenation equilibria characteristics of $LaNi_{5-x}Zn_x$ intermetallics 237
Crystal structure of $Y_2B_3C_2$ ($Gd_2B_3C_2$-type)
a novel boroncarbide, $Y_2B_3C_2$. X-ray single crystal and neutron powder diffraction analysis 160
Curie temperature
magnetic and structural properties of $SmCo_{6.75-x}Fe_xZr_{0.25}$ compounds 295

Decomposition enthalpy
simultaneous differential scanning calorimetry and thermal desorption spectroscopy measurements for the study of the decomposition of metal hydrides 244
Differential scanning calorimetry
simultaneous differential scanning calorimetry and thermal desorption spectroscopy measurements for the study of the decomposition of metal hydrides 244

EELS
$Sc_3B_{0.75}C_3$, a novel scandium boron carbide 99
Electrical transport
magnetic properties of $R_3Cu_4Sn_4$ (R=Ce, Gd and Y) 68
Electric resistivity
magnetism and transport properties of HfMSi (M=Pt, Pd) and $HfRh_{1-x}Pd_xSi$ 51

Elsevier Science S.A.
PII: S0925-8388(99)00811-7

Electrochemical properties
development of AB_2-type Zr–Ti–Mn–V–Ni–Fe hydride electrodes for Ni–MH secondary batteries 254
Electrolytic charging
hydrogen effusion in cathodically charged gamma titanium aluminides 274

Ferrate
structure and cation distribution of new ternary vanadates $FeMg_2V_3O_{11}$ and $FeZn_2V_3O_{11}$ 119
Ferrites
neutron diffraction study of magnetic ordering in the spinel oxide $Co_xMn_{1-x}Al_{2x}Fe_{2-2x}O_4$ 9
Formation enthalpy
enthalpy of formation of Al–Fe–Si alloys (τ_5, τ_{10}, τ_1, τ_9) 198
Fractional solidification
numerical modeling and optimization of zone refining 299

Gallium substitution
new AlB_2- and $GdSi_2$-type derivative compounds in the Y–Ga–Ge system 213
Gamma titanium aluminides
hydrogen effusion in cathodically charged gamma titanium aluminides 274
Gadolinium compounds
magnetic properties of GdT_2Ge_2 compounds (T=3d, 4d) 18
Gas–solid reaction
in situ neutron diffraction study of the reaction of the compounds $NdFe_{10.75}V_{1.25}$ and $NdFe_{11}Ti$ with nitrogen 220
phase transformations of the Gd–Fe–Mo ternary compounds with $ThMn_{12}$-type structure under nitrogen atmosphere 226
$GdZn_{1-x}Mg_x$ compounds
hydrogen-induced phase transitions of $GdZn_{1-x}Mg_x$ compounds 1
Glass transition temperature
optical gap of the glasses of the system As_2S_3–Tl_2S–Sb_2S_3 47

Hardness
structural and phase transformations in quenched and aged Zr–Os alloys 181
H_2 desorption enthalpy
hydrogenation equilibria characteristics of $LaNi_{5-x}Zn_x$ intermetallics 237
H_2 desorption entropy
hydrogenation equilibria characteristics of $LaNi_{5-x}Zn_x$ intermetallics 237
High magnetic fields
effects of substitution of uranium for yttrium on band metamagnetism of $Y(Co_{0.92}Al_{0.08})_2$ 73
High pressure
pressure-induced orthorhombic distortion of UMn_2 177
High-Tc superconductor
determination of the material parameters of a melt-textured YBCO superconductor by DC magnetization analysis 285
HRTEM
$Sc_3B_{0.75}C_3$, a novel scandium boron carbide 99
Hydride electrode
electrochemical studies on $LaNi_{4.15}Co_{0.43}Mn_{0.40}Fe_{0.02}$ metal hydride alloy 107
Hydrogen
X-ray diffraction peak broadening and lattice strain in $LaNi_5$-based alloys 138
enhanced rates of hydrogen absorption resulting from oxidation of Pd or internal oxidation of *Pd*-Al alloys 261
synthesis of magnesium and titanium hydride via reactive mechanical alloying. Influence of 3d-metal addition on MgH_2 synthesize 279
Hydrogen-absorbing alloy
the effect of particle size on the electrochemical properties of hydrogen absorbing alloy electrodes 310
Hydrogen absorption
hydrogen effusion in cathodically charged gamma titanium aluminides 274
Hydrogen absorption/desorption
electrochemical studies on $LaNi_{4.15}Co_{0.43}Mn_{0.40}Fe_{0.02}$ metal hydride alloy 107
Hydrogenation
hydrogenation and its effect on the crystallisation behaviour of $Zr_{55}Cu_{30}Al_{10}Ni_5$ metallic glass 146
Hydrogen diffusion
electrochemical studies on $LaNi_{4.15}Co_{0.43}Mn_{0.40}Fe_{0.02}$ metal hydride alloy 107
Hydrogen effusion
hydrogen effusion in cathodically charged gamma titanium aluminides 274
Hydrogen storage alloys
hydrogenation equilibria characteristics of $LaNi_{5-x}Zn_x$ intermetallics 237

Insoluble residue
XPS studies of superconducting Mo–Ru–Rh–Pd alloy 291
Intermetallic compounds
magnetism and transport properties of HfMSi (M=Pt, Pd) and $HfRh_{1-x}Pd_xSi$ 51
Internally oxidized Pd/Al
enhanced rates of hydrogen absorption resulting from oxidation of Pd or internal oxidation of *Pd*-Al alloys 261
Iron sulphide
study of a mechanochemical transformation in iron pyrite 306
Isothermal section
the 773 K isothermal section of the phase diagram of ternary Ni–Ti–Y system 135
the 773 K isothermal section of the Sm–Co–Si ternary system 173
the Cu_2Se–$CdSe$–$GeSe_2$ system 203
Itinerant metamagnetism
effects of substitution of uranium for yttrium on band metamagnetism of $Y(Co_{0.92}Al_{0.08})_2$ 73

Kinetics
enhanced rates of hydrogen absorption resulting from oxidation of Pd or internal oxidation of *Pd*-Al alloys 261

$LaNi_{5-x}Zn_x$ system
hydrogenation equilibria characteristics of $LaNi_{5-x}Zn_x$ intermetallics 237
Lanthanides
optical absorption and emission properties of Pr(III) in alkali chloroborophosphate glasses 59
Lattice spacing
coherency and lattice spacings of textured permalloy/copper multilayers as revealed by X-ray diffraction 42
Lattice strain
X-ray diffraction peak broadening and lattice strain in $LaNi_5$-based alloys 138
Lifetimes
optical absorption and emission properties of Pr(III) in alkali chloroborophosphate glasses 59
Liquidus surface
the Cu_2Se–$CdSe$–$GeSe_2$ system 203
Luminescence
low temperature synthesis of $Na_2Eu(CO_3)F_{2.5}(OH)_{0.5}$, luminescence and crystal field study of Eu^{3+} 93

Magnetic entropy
a specific-heat study of some RFe_4Al_8 compounds (R=Ce, Pr, Nd, Dy, Ho, Tm) 77
Magnetic moment
neutron diffraction study of magnetic ordering in the spinel oxide $Co_xMn_{1-x}Al_{2x}Fe_{2-2x}O_4$ 9
Magnetic order
neutron diffraction study of magnetic ordering in the spinel oxide $Co_xMn_{1-x}Al_{2x}Fe_{2-2x}O_4$ 9
Magnetic properties
magnetic properties of GdT_2Ge_2 compounds (T=3d, 4d) 18
the ternary Sm–Fe–Sn system: phase diagram, structural characterisation and magnetic properties of ternary compounds 26
magnetic study of the $U_{1-x}La_xAl_4$ system 40
magnetic properties of $R_3Cu_4Sn_4$ (R=Ce, Gd and Y) 68
a specific-heat study of some RFe_4Al_8 compounds (R=Ce, Pr, Nd, Dy, Ho, Tm) 77
magnetic and structural properties of $SmCo_{6.75-x}Fe_xZr_{0.25}$ compounds 295
Mathematical modeling
numerical modeling and optimization of zone refining 299
Mean field model
magnetic properties of GdT_2Ge_2 compounds (T=3d, 4d) 18
Mechanical milling
study of a mechanochemical transformation in iron pyrite 306
Meissner current
determination of the material parameters of a melt-textured YBCO superconductor by DC magnetization analysis 285
Metal hydride(s)
hydrogen-induced phase transitions of $GdZn_{1-x}Mg_x$ compounds 1
sodium alanates for reversible hydrogen storage 125
simultaneous differential scanning calorimetry and thermal desorption spectroscopy measurements for the study of the decomposition of metal hydrides 244
development of AB_2-type Zr–Ti–Mn–V–Ni–Fe hydride electrodes for Ni–MH secondary batteries 254
synthesis of magnesium and titanium hydride via reactive mechanical alloying. Influence of 3d-metal addition on MgH_2 synthesize 279
Metastable phase
structural and phase transformations in quenched and aged Zr–Os alloys 181
Metastable phases
phenomenological bond length–bond number correlations for Ti, Zr and Hf: assessment and applications to metastable structures 30
Microstructure
structural and phase transformations in quenched and aged Zr–Os alloys 181
Mössbauer spectroscopy
study of a mechanochemical transformation in iron pyrite 306
Multilayers
coherency and lattice spacings of textured permalloy/copper multilayers as revealed by X-ray diffraction 42

Nd–Fe–B alloys
production of $(Nd,MM)_2(Fe,Co,Ni)_{14}B$-type sintered magnets using a binary powder blending technique 319
$NdRh_4Al_{15.37}$
neodymium rhodium aluminide $NdRh_4Al_{15.37}$ 153
Neodymium rhodium aluminide
neodymium rhodium aluminide $NdRh_4Al_{15.37}$ 153
Neutron diffraction
neutron diffraction study of magnetic ordering in the spinel oxide $Co_xMn_{1-x}Al_{2x}Fe_{2-2x}O_4$ 9
Neutron powder diffraction
in situ neutron diffraction study of the reaction of the compounds $NdFe_{10.75}V_{1.25}$ and $NdFe_{11}Ti$ with nitrogen 220
Nickel–metal hydride battery
the effect of particle size on the electrochemical properties of hydrogen absorbing alloy electrodes 310
Ni–Ti–Y system
the 773 K isothermal section of the phase diagram of ternary Ni–Ti–Y system 135
Nitrogenation
in situ neutron diffraction study of the reaction of the compounds $NdFe_{10.75}V_{1.25}$ and $NdFe_{11}Ti$ with nitrogen 220
phase transformations of the Gd–Fe–Mo ternary compounds with $ThMn_{12}$-type structure under nitrogen atmosphere 226
Numerical modeling
numerical modeling and optimization of zone refining 299

Omega phase
phenomenological bond length–bond number correlations for Ti, Zr and Hf: assessment and applications to metastable structures 30
Optical absorption spectra
optical absorption and emission properties of Pr(III) in alkali chloroborophosphate glasses 59
Optical band gap
optical gap of the glasses of the system As_2S_3–Tl_2S–Sb_2S_3 47
Optical emission spectra
optical absorption and emission properties of Pr(III) in alkali chloroborophosphate glasses 59
Oxidized Pd
enhanced rates of hydrogen absorption resulting from oxidation of Pd or internal oxidation of *Pd*-Al alloys 261
Oxometallic compound
hydrogenation characteristics of Ti_4Cu_2O 114

Particle size
the effect of particle size on the electrochemical properties of hydrogen absorbing alloy electrodes 310
P–C isotherms
hydrogenation equilibria characteristics of $LaNi_{5-x}Zn_x$ intermetallics 237
development of AB_2-type Zr–Ti–Mn–V–Ni–Fe hydride electrodes for Ni–MH secondary batteries 254
Permalloy/copper
coherency and lattice spacings of textured permalloy/copper multilayers as revealed by X-ray diffraction 42
Permanent magnet
magnetic and structural properties of $SmCo_{6.75-x}Fe_xZr_{0.25}$ compounds 295
Permanent magnet materials
production of $(Nd,MM)_2(Fe,Co,Ni)_{14}B$-type sintered magnets using a binary powder blending technique 319
Phase diagram
the 773 K isothermal section of the phase diagram of ternary Ni–Ti–Y system 135
the Pr–Fe–Sn ternary system: phase diagram and crystal structure of $PrFe_{0.4}Sn_2$ 169
the 773 K isothermal section of the Sm–Co–Si ternary system 173
Yb–Ni–P system 190
the Cu_2Se–CdSe–$GeSe_2$ system 203
Phase equilibria
phase equilibria in the ternary systems Pr–Fe–Bi and Sm–Fe–Bi 195

Phase relations
the 773 K isothermal section of the Sm–Co–Si ternary system 173
Phase transformation
structural and phase transformations in quenched and aged Zr–Os alloys 181
study of a mechanochemical transformation in iron pyrite 306
Pnictide
structures of the ternary iron germanium pnictides $FeGe_{1-x}Pn_x$ (Pn=P, As, Sb) 82
Pressure–composition isotherm
hydrogenation characteristics of Ti_4Cu_2O 114
Pr–Fe–Bi
phase equilibria in the ternary systems Pr–Fe–Bi and Sm–Fe–Bi 195

Quasi-ternary system
the Cu_2Se–CdSe–$GeSe_2$ system 203

Rare earth aluminide
magnetic study of the $U_{1-x}La_xAl_4$ system 40
Rare earth compounds
hydrogen-induced phase transitions of $GdZn_{1-x}Mg_x$ compounds 1
Rare earth copper stannides
magnetic properties of $R_3Cu_4Sn_4$ (R=Ce, Gd and Y) 68
Rare earth iron aluminides
a specific-heat study of some RFe_4Al_8 compounds (R=Ce, Pr, Nd, Dy, Ho, Tm) 77
Rare earth iron bismuthides
phase equilibria in the ternary systems Pr–Fe–Bi and Sm–Fe–Bi 195
Rare earth iron stannides
the ternary Sm–Fe–Sn system: phase diagram, structural characterisation and magnetic properties of ternary compounds 26
the Pr–Fe–Sn ternary system: phase diagram and crystal structure of $PrFe_{0.4}Sn_2$ 169
Reactive Mechanical Alloying
synthesis of magnesium and titanium hydride via reactive mechanical alloying. Influence of 3d-metal addition on MgH_2 synthesize 279
Relative partial molar enthalpy
hydrogenation characteristics of Ti_4Cu_2O 114
Relative partial molar entropy
hydrogenation characteristics of Ti_4Cu_2O 114
Reversible hydrogen storage materials
sodium alanates for reversible hydrogen storage 125
Rietveld method
X-ray diffraction peak broadening and lattice strain in $LaNi_5$-based alloys 138

Saturation magnetization
magnetic and structural properties of $SmCo_{6.75-x}Fe_xZr_{0.25}$ compounds 295
Scandium boron carbides
$Sc_3B_{0.75}C_3$, a novel scandium boron carbide 99
$Sc_3B_{0.75}C_3$
$Sc_3B_{0.75}C_3$, a novel scandium boron carbide 99
Single crystal
structure and cation distribution of new ternary vanadates $FeMg_2V_3O_{11}$ and $FeZn_2V_3O_{11}$ 119
Sm–Co–Si system
the 773 K isothermal section of the Sm–Co–Si ternary system 173
Sm–Fe–Bi
phase equilibria in the ternary systems Pr–Fe–Bi and Sm–Fe–Bi 195
Sm–Fe–Sn alloys
the ternary Sm–Fe–Sn system: phase diagram, structural characterisation and magnetic properties of ternary compounds 26
Sodium europium hydroxyfluoride carbonate
low temperature synthesis of $Na_2Eu(CO_3)F_{2.5}(OH)_{0.5}$, luminescence and crystal field study of Eu^{3+} 93
Solid solution
structures of the ternary iron germanium pnictides $FeGe_{1-x}Pn_x$ (Pn=P, As, Sb) 82
Solution calorimetry
enthalpy of formation of Al–Fe–Si alloys (τ_5, τ_{10}, τ_1, τ_9) 198
Specific heat
a specific-heat study of some RFe_4Al_8 compounds (R=Ce, Pr, Nd, Dy, Ho, Tm) 77
Spinel oxides
neutron diffraction study of magnetic ordering in the spinel oxide $Co_xMn_{1-x}Al_{2x}Fe_{2-2x}O_4$ 9
Spin fluctuations
magnetic study of the $U_{1-x}La_xAl_4$ system 40
Structural properties
magnetic and structural properties of $SmCo_{6.75-x}Fe_xZr_{0.25}$ compounds 295
Structural transition
pressure-induced orthorhombic distortion of UMn_2 177
Structure
phenomenological bond length–bond number correlations for Ti, Zr and Hf: assessment and applications to metastable structures 30
structure and cation distribution of new ternary vanadates $FeMg_2V_3O_{11}$ and $FeZn_2V_3O_{11}$ 119
Structure determination
neodymium rhodium aluminide $NdRh_4Al_{15.37}$ 153
Sulfide glasses
optical gap of the glasses of the system As_2S_3–Tl_2S–Sb_2S_3 47
Superconducting
XPS studies of superconducting Mo–Ru–Rh–Pd alloy 291
Superconductivity
magnetism and transport properties of HfMSi (M=Pt, Pd) and $HfRh_{1-x}Pd_xSi$ 51
Synchrotron
pressure-induced orthorhombic distortion of UMn_2 177
Synthesis
low temperature synthesis of $Na_2Eu(CO_3)F_{2.5}(OH)_{0.5}$, luminescence and crystal field study of Eu^{3+} 93
neodymium rhodium aluminide $NdRh_4Al_{15.37}$ 153

Ternary Gd germanides
magnetic properties of GdT_2Ge_2 compounds (T=3d, 4d) 18
Ternary intermetallic compounds
phase equilibria in the ternary systems Pr–Fe–Bi and Sm–Fe–Bi 195
Texture
coherency and lattice spacings of textured permalloy/copper multilayers as revealed by X-ray diffraction 42
Thermal desorption spectroscopy
simultaneous differential scanning calorimetry and thermal desorption spectroscopy measurements for the study of the decomposition of metal hydrides 244
$ThMn_{12}$
phase transformations of the Gd–Fe–Mo ternary compounds with $ThMn_{12}$-type structure under nitrogen atmosphere 226
$ThMn_{12}$ type intermetallics
in situ neutron diffraction study of the reaction of the compounds $NdFe_{10.75}V_{1.25}$ and $NdFe_{11}Ti$ with nitrogen 220
Ti–Cu–O alloy
hydrogenation characteristics of Ti_4Cu_2O 114

Transition metals
phenomenological bond length–bond number correlations for Ti, Zr and Hf: assessment and applications to metastable structures 30
Two-dimensional planar nets of closed units $(B_3CBC)_2$
a novel boroncarbide, $Y_2B_3C_2$. X-ray single crystal and neutron powder diffraction analysis 160

Uranium aluminide
magnetic study of the $U_{1-x}La_xAl_4$ system 40

Vanadate
structure and cation distribution of new ternary vanadates $FeMg_2V_3O_{11}$ and $FeZn_2V_3O_{11}$ 119

XPS
XPS studies of superconducting Mo–Ru–Rh–Pd alloy 291
X-ray diffraction
coherency and lattice spacings of textured permalloy/copper multilayers as revealed by X-ray diffraction 42
pressure-induced orthorhombic distortion of UMn_2 177
X-ray powder diffractometry
X-ray diffraction peak broadening and lattice strain in $LaNi_5$-based alloys 138
X-ray single crystal and neutron powder diffraction
a novel boroncarbide, $Y_2B_3C_2$. X-ray single crystal and neutron powder diffraction analysis 160

Y–Ag–Al compounds
ternary compounds in the Y–Ag–Al system and their crystal structures 164
YBCO
determination of the material parameters of a melt-textured YBCO superconductor by DC magnetization analysis 285
Yb–Ni–P alloys
Yb–Ni–P system 190
YCo_2
effects of substitution of uranium for yttrium on band metamagnetism of $Y(Co_{0.92}Al_{0.08})_2$ 73
Y–Ga–Ge alloys
new AlB_2- and $GdSi_2$-type derivative compounds in the Y–Ga–Ge system 213
Ytterbium nickel phosphides
Yb–Ni–P system 190
Yttrium digalllides
new AlB_2- and $GdSi_2$-type derivative compounds in the Y–Ga–Ge system 213
Yttrium digermanides
new AlB_2- and $GdSi_2$-type derivative compounds in the Y–Ga–Ge system 213
Yttrium silver aluminides
ternary compounds in the Y–Ag–Al system and their crystal structures 164

Zirconium hydrides
hydrogenation and its effect on the crystallisation behaviour of $Zr_{55}Cu_{30}Al_{10}Ni_5$ metallic glass 146
Zone melting
numerical modeling and optimization of zone refining 299
Zone refining
numerical modeling and optimization of zone refining 299
$Zr_{55}Cu_{30}Al_{10}Ni_5$ metallic glass
hydrogenation and its effect on the crystallisation behaviour of $Zr_{55}Cu_{30}Al_{10}Ni_5$ metallic glass 146
Zr–Os alloys
structural and phase transformations in quenched and aged Zr–Os alloys 181
Zr–Ti–Mn–V–Ni–Fe alloys
development of AB_2-type Zr–Ti–Mn–V–Ni–Fe hydride electrodes for Ni–MH secondary batteries 254